



SAFETY DATA SHEET

100 x 18g SUPER PROFESSIONAL 5in1 DISHWASHER CAPSULES C10

Commission Regulation (EU) No 2015/830 of 28 May 2015.

SECTION 1: Identification of th	e substance/mixture and of the company/undertaking	
1.1. Product identifier		
Product name	100 x 18g SUPER PROFESSIONAL 5in1 DISHWASHER CAPSULES C10	
Product number	800-289-0004 C10	
Container size	100x18g	
1.2. Relevant identified uses of	the substance or mixture and uses advised against	
Identified uses	Machine dishwashing detergent.	
1.3. Details of the supplier of the	ne safety data sheet	
Supplier	Mirius™ A Coventry Group Company Woodhams Road Siskin Drive Coventry CV3 4FX Tel: +44 (0) 02476 639 739 Fax: +44 (0) 02476 639 717 Email: sales@mirius.com	
Contact person	For content of safety data sheet:, sds@mirius.com	
1.4. Emergency telephone number		
Emergency telephone	+44 (0) 1865407333 (Strictly for emergencies only: incidents involving damage to human health and/or the environment)	
National emergency telephone number	In case of a medical emergency following exposure to a chemical call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24	
SECTION 2: Hazards identifica	tion	
2.1. Classification of the substa	ance or mixture	
Classification (EC 1272/2008)	Net Cleasified	
Physical hazards	Not Classified	
Health hazards	Eye Irrit. 2 - H319	
Environmental hazards	Not Classified	
2.2. Label elements		
Pictogram		
Signal word	Warping	

Signal word

Warning

Hazard statements	H319 Causes serious eye irritation.
Precautionary statements	P101 If medical advice is needed, have product container or label at hand.
	P102 Keep out of reach of children.
	P264 Wash contaminated skin thoroughly after handling.
	P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P337+P313 If eye irritation persists: Get medical advice/ attention.
	P301+P312 IF SWALLOWED: Call a POISON CENTRE/doctor if you feel unwell.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information	on on ingredients	
3.2. Mixtures		
SODIUM CARBONATE		10-309
CAS number: 497-19-8	EC number: 207-838-8	REACH registration number: 01- 2119485498-19-XXXX
Classification	Classificat	tion (67/548/EEC or 1999/45/EC)
Eye Irrit. 2 - H319	Xi;R36	
SODIUM PERCARBONATE		5-10
CAS number: 15630-89-4		
Classification	Classificat	tion (67/548/EEC or 1999/45/EC)
Ox. Sol. 3 - H272	Xn;R22. X	(i;R41. O;R8.
Acute Tox. 4 - H302		
Eye Dam. 1 - H318		
ZINC SULPHATE		<1
CAS number: 7446-20-0	EC number: 231-793-3	REACH registration number: 01- 2119474684-27-XXXX
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification	Classificat	tion (67/548/EEC or 1999/45/EC)
Acute Tox. 4 - H302	Xn;R22 Xi	;R41 N;R50/53
Eye Dam. 1 - H318		
Aquatic Acute 1 - H400		
Aquatic Chronic 1 - H410		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures		
General information	Provide eyewash station.	
Inhalation	Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.	
Ingestion	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.	

Skin contact	Rinse immediately with plenty of water. Remove contaminated clothing. Get medical attention if irritation persists after washing.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing. Show this Safety Data Sheet to the medical personnel.
4.2. Most important symptoms	and effects, both acute and delayed
Inhalation	May cause respiratory irritation.
Ingestion	May cause discomfort if swallowed. Nausea, vomiting. Diarrhoea.
Skin contact	Prolonged skin contact may cause redness and irritation.
Eye contact	Irritating to eyes. Symptoms following overexposure may include the following: Redness. Pain.
4.3. Indication of any immedia	te medical attention and special treatment needed
Notes for the doctor	No specific recommendations.
SECTION 5: Firefighting meas	ures
5.1. Extinguishing media	
Suitable extinguishing media	Use fire-extinguishing media suitable for the surrounding fire. Foam. Powder. Carbon dioxide (CO2). Water spray.
5.2. Special hazards arising fro	om the substance or mixture
Specific hazards	The product is non-combustible.
Hazardous combustion products	No known hazardous decomposition products.
5.3. Advice for firefighters	
Protective actions during firefighting	Control run-off water by containing and keeping it out of sewers and watercourses.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.
SECTION 6: Accidental release	e measures
6.1. Personal precautions, pro	tective equipment and emergency procedures
Personal precautions	Avoid inhalation of dust. Provide adequate ventilation. Wear protective clothing as described in Section 8 of this safety data sheet.
6.2. Environmental precaution	<u>S</u>
Environmental precautions	Avoid the spillage or runoff entering drains, sewers or watercourses.
6.3. Methods and material for	containment and cleaning up
Methods for cleaning up	Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. If involved in a fire, shut off flow if it can be done without risk.
6.4. Reference to other section	
Reference to other sections	For personal protection, see Section 8. See Section 11 for additional information on health hazards. For waste disposal, see Section 13.
SECTION 7: Handling and sto	rage

7.1. Precautions for safe han	dling		
Usage precautions	Provide adequate ventilation. Avoid contact with skin and eyes. Wear protective clothing as described in Section 8 of this safety data sheet. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Do not eat, drink or smoke when using the product.		
7.2. Conditions for safe stora	ge, including any incompatibilities		
Storage precautions	Store in tightly-closed, original container. Keep container dry.		
7.3. Specific end use(s)			
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.		
SECTION 8: Exposure Contr	ols/personal protection		
8.1. Control parameters			
Ingredient comments	No exposure limits known for ingredient(s).		
	SODIUM CARBONATE (CAS: 497-19-8)		
DNEL	Workers - Inhalation; Long term local effects: 10 mg/m ³ General population - Inhalation; Long term local effects: 10 mg/m ³		
	SODIUM PERCARBONATE (CAS: 15630-89-4)		
DNEL	Workers - Inhalation; Long term local effects: 5 mg/m ³ Workers - Dermal; Long term local effects: 12.8 mg/cm ² Workers - Dermal; Short term local effects: 12.8 mg/cm ² General population - Dermal; Long term local effects: 6.4 mg/cm ² General population - Dermal; Short term local effects: 6.4 mg/cm ²		
PNEC	- Fresh water; 0.035 mg/l - Marine water; 0.035 mg/l - STP; 16.24 mg/l		
8.2. Exposure controls			
Protective equipment			
Appropriate engineering controls	Provide adequate ventilation.		
Eye/face protection	Wear tight-fitting, dust-resistant, chemical splash goggles if airborne dust is generated.		
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Polyvinyl chloride (PVC). Rubber (natural, latex).		
Other skin and body protection	Wear appropriate clothing to prevent repeated or prolonged skin contact. Use appropriate skin cream to prevent drying of skin.		
Hygiene measures	When using do not eat, drink or smoke. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Use appropriate skin cream to prevent drying of skin.		
Respiratory protection	Respiratory protection not required.		

100 x 18g SUPER PROFESSIONAL 5in1 DISHWASHER CAPSULES C10

Environmental exposure	Avoid releasing into the environment.
controls	

SECTION 9: Physical and Chemical Properties		
9.1. Information on basic physical and chemical properties		
Appearance	Tablet	
Colour	White with blue, red and green speckles.	
Odour	Citrus.	
Odour threshold	Not applicable. Not applicable.	
рН	pH (concentrated solution): pH (diluted solution): 10.4-10.8 @ 1% solution	
Relative density	0.98-1.14 @ @ 20°C	
Viscosity	Not applicable.	
Oxidising properties	The product contains a substance classified as oxidising. Does not meet the criteria for classification as oxidising.	
Comments	Information given concerns the solid substance.	
9.2. Other information		
Other information	Not relevant.	
SECTION 10: Stability and rea	activity	
10.1. Reactivity		
Reactivity	There are no known reactivity hazards associated with this product.	
10.2. Chemical stability		
Stability	Stable at normal ambient temperatures.	
10.3. Possibility of hazardous	reactions	
Possibility of hazardous reactions	Not applicable.	
10.4. Conditions to avoid		
Conditions to avoid	Water, moisture.	
10.5. Incompatible materials		
Materials to avoid	Do not mix with other cleaning chemicals	
10.6. Hazardous decomposition	on products	
Hazardous decomposition products	None when stored and handled correctly	
SECTION 11: Toxicological information		
11.1. Information on toxicolog	ical effects	
Toxicological effects	Information given is based on data of the components and of similar products.	
Acute toxicity - oral Notes (oral LD₅₀)	Estimated value. Based on available data the classification criteria are not met.	
ATE oral (mg/kg)	10,000.0	
Acute toxicity - dermal		

Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.
Acute toxicity - inhalation Notes (inhalation LC ₅₀)	Based on available data the classification criteria are not met.
Skin corrosion/irritation Skin corrosion/irritation	Based on available data the classification criteria are not met.
Serious eye damage/irritation Serious eye damage/irritation	Causes serious eye irritation.
Respiratory sensitisation Respiratory sensitisation	Based on available data the classification criteria are not met.
Skin sensitisation Skin sensitisation	Based on available data the classification criteria are not met.
Germ cell mutagenicity Genotoxicity - in vitro	Does not contain any substances known to be mutagenic.
Carcinogenicity Carcinogenicity	Does not contain any substances known to be carcinogenic.
Reproductive toxicity Reproductive toxicity - fertility	Does not contain any substances known to be toxic to reproduction.
Specific target organ toxicity -	single exposure
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.
Specific target organ toxicity -	repeated exposure
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.
General information	This product has low toxicity. Only large quantities are likely to have adverse effects on human health.
Inhalation	No risk from inhalation in normal use
Ingestion	Large quantities swallowed may cause gastro-intestino irritation, possibly vomiting
Skin contact	Prolonged contact may cause redness, irritation and dry skin.
Eye contact	Irritating to eyes. Symptoms following overexposure may include the following: Redness. Pain.

Toxicological information on ingredients.

SODIUM CARBONATE

Acute toxicity - oral	
Acute toxicity oral (LD₅₀ mg/kg)	2,800.0
Species	Rat
Acute toxicity - dermal	
Acute toxicity dermal (LD₅₀ mg/kg)	2,000.0
Species	Rabbit

Acute toxicity - inhalation		
Acute toxicity inhalation (LC₅₀ dust/mist mg/l)	2.3	
Species	Rat	
		SODIUM PERCARBONATE
Acute toxicity - oral		
Acute toxicity oral (LD₅₀ mg/kg)	1,034.0	
Species	Rat	
ATE oral (mg/kg)	1,034.0	
Acute toxicity - dermal		
Acute toxicity dermal (LD₅₀ mg/kg)	2,000.1	
Species	Rabbit	
ATE dermal (mg/kg)	2,000.1	

SECTION 12: Ecological Information

Ecotoxicity

There are no data on the ecotoxicity of this product. Not regarded as dangerous for the environment.

12.1. Toxicity

Ecological information on ingredients.

SODIUM CARBONATE

Acute aquatic toxicity		
Acute toxicity - fish	LC50, 96 hours: 300 mg/l, Lepomis macrochirus (Bluegill)	
Acute toxicity - aquatic invertebrates	EC₅₀, 48 hours: 265 mg/l, Daphnia magna	
	SODIUM PERCARBONATE	
Acute aquatic toxicity		
Acute toxicity - fish	LC₅₀, 70.7 hours: 48 mg/l, Pimephales promelas (Fat-head Minnow) REACH dossier information.	
Acute toxicity - aquatic invertebrates	EC₅₀, 48 hours: 4.9 mg/l, Freshwater invertebrates REACH dossier information.	

12.2. Persistence and degradability

Persistence and degradability There are no data on the degradability of this product. The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

...

12.4. Mobility in soil		
Mobility	The product is water-soluble and may spread in water systems.	
12.5. Results of PBT and vPv	B assessment	
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.	
12.6. Other adverse effects		
Other adverse effects	None known.	
SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
General information	Do not discharge into drains or watercourses or onto the ground.	

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Packaging is recyclable.

SECTION 14: Transport information

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

General

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as amended).
	The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009
	No. 716).

EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Regulation (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) 1907/2006,
Guidance	Workplace Exposure Limits EH40. CHIP for everyone HSG228. COSHH Essentials. Approved Classification and Labelling Guide (Sixth edition) L131. Safety Data Sheets for Substances and Preparations.

15.2. Chemical safety assessment

No information available.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	DNEL: Derived No Effect Level. PNEC: Predicted No Effect Concentration. PBT: Persistent, Bioaccumulative and Toxic substance. vPvB: Very Persistent and Very Bioaccumulative.
Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision.
Revision date	09/07/2018
Revision	4
Supersedes date	14/06/2017
SDS number	20911
Risk phrases in full	R22 Harmful if swallowed. R36 Irritating to eyes. R41 Risk of serious damage to eyes. R8 Contact with combustible material may cause fire.
Hazard statements in full	H272 May intensify fire; oxidiser. H302 Harmful if swallowed. H318 Causes serious eye damage. H319 Causes serious eye irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.